

AMENDED
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DEC 23 2005

Returned to applicant for correction JAN 17 2006

Corrected application filed _____

Map filed AUG 25 2004 under 71606

The applicant **City of Reno, City of Sparks, & Washoe County**, by and through **Truckee Meadows Water Authority**, and **Truckee Meadows Water Authority** hereby makes application for permission to change the **Point of Diversion and Manner and Place of Use** of a portion of water heretofore appropriated under **Claim or Right No. 179 and Permit No. 11489, Certificate No. 4827 (formerly Claim No. 257 of the Truckee River Decree, said Decree entered into by the District Court of the United States for Nevada in that certain action entitled, "The United States of America, Plaintiff vs. Orr Water Ditch Company, et al., Defendants", in Equity Docket A-3.**

1. The source of water is **Truckee River**
2. The amount of water to be changed **93.81 afa along with a pro-rata share of the diversion rate**
3. The water to be used for **Municipal and Domestic**
4. The water heretofore permitted for **As Decreed**
5. The water is to be diverted at the following point **The points of diversion of Truckee Meadows Water Authority's existing water treatment plants are described in attached Exhibit "A" and as shown on the map supporting Application No. 71606 on file with the Division of Water Resources, State of Nevada.**
6. The existing permitted point of diversion is located within **See attached Exhibit "C"**
7. Proposed place of use **See attached Exhibit "B" as described in Application No. 71606 and shown on the map accompanying said application on file with the Division of Water Resources, State of Nevada.**
8. Existing place of use **See attached Exhibit "D"**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **As Decreed to As Decreed** of each year.
11. Description of proposed works **Water will be diverted at existing T.M.W.A. facilities, then treated and placed into the existing distribution system.**
12. Estimated cost of works **Completed**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **Ten (10) years**

73645

15. Remarks:

By s/Kelly Hirning
Kelly Hirning , agent, Truckee Meadows Water Authority
Water Resource Dept. - P.O. Box 30013
Reno, Nevada 89520-3013

Compared sg/gkl lb/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place of use and manner of use of a portion of the waters of the Truckee River Claim 179 and the point of diversion, place of use and manner of use of a portion of Permit 11489, Certificate 4827 which changed the point of diversion of Claim No. 257, Truckee River Decree, is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.3976 cubic feet per second, but not to exceed 93.62 acre-feet as decreed.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

May 31, 2016

Proof of the application of water to beneficial use shall be filed on or before:

July 1, 2016

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 31st day of May, A.D. 2006


State Engineer

Completion of work filed March 12, 1997 under 60929

Proof of beneficial use filed _____

Cultural map filed NA

Certificate No. _____ Issued _____

EXHIBIT "A"

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants, which are shown on the map accompanying Application No. 71606 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

10/25/2004

M:\water rights\Transfer Applications\Exhibit A - Master.doc

EXHIBIT "B"
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.&M.
E½	6&7	18	18	M.D.B.&M.
ALL	8-17	18	18	M.D.B.&M.
E½	18&19	18	18	M.D.B.&M.
ALL	20-29	18	18	M.D.B.&M.
E½	30&31	18	18	M.D.B.&M.
ALL	32-36	18	18	M.D.B.&M.
ALL	1-5	19	18	M.D.B.&M.
E½	6&7	19	18	M.D.B.&M.
ALL	8-17	19	18	M.D.B.&M.
E½	18&19	19	18	M.D.B.&M.
ALL	20-29	19	18	M.D.B.&M.
E½	30&31	19	18	M.D.B.&M.
ALL	32-36	19	18	M.D.B.&M.
ALL	1-5	20	18	M.D.B.&M.
E½	6&7	20	18	M.D.B.&M.
ALL	8-17	20	18	M.D.B.&M.
E½	18&19	20	18	M.D.B.&M.
ALL	20-29	20	18	M.D.B.&M.
E½	30&31	20	18	M.D.B.&M.
ALL	32-36	20	18	M.D.B.&M.
ALL	1-5	21	18	M.D.B.&M.
E½	6&7	21	18	M.D.B.&M.
ALL	8-17	21	18	M.D.B.&M.
E½	18&19	21	18	M.D.B.&M.
ALL	20-29	21	18	M.D.B.&M.
E½	30&31	21	18	M.D.B.&M.
ALL	32-36	21	18	M.D.B.&M.
ALL	1-36	18	19	M.D.B.&M.
ALL	1-36	19	19	M.D.B.&M.
ALL	1-36	20	19	M.D.B.&M.
ALL	1-36	21	19	M.D.B.&M.
ALL	2-35	18	20	M.D.B.&M.
W½	36	18	20	M.D.B.&M.
ALL	1-12	19	20	M.D.B.&M.
ALL	14-23	19	20	M.D.B.&M.
ALL	26-35	19	20	M.D.B.&M.
ALL	1-36	20	20	M.D.B.&M.
ALL	1-36	21	20	M.D.B.&M.
ALL	1-36	20	21	M.D.B.&M.
ALL	1-36	21	21	M.D.B.&M.

SEE SUPPORTING MAP ON FILE WITH APPLICATION NO. 71606

Exhibit "C"

Last Chance Ditch: Claim No. 179

The SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 14, T 19N, R 18E, MDB& M, or at a point from which the Northwest corner of Section 13, T 19N, R 18E, MDB& M bears North $24^{\circ} 26'$ East a distance of 1,840 feet (Per Orr Ditch Decree).

Southside Canal: Claim No. 257 (the existing POD was changed to Lake Ditch by Permit No. 11489, Certificate No. 4827).

The NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 19, T 19N, R 19E, MDB& M, or at a point from which the Northwest corner of Section 20, T 19N, R 19E, MDB& M bears South $88^{\circ} 05'$ East a distance of 2,620 feet (Lake Ditch per Orr Ditch Decree). The existing POD of the Southside Canal was changed to Lake Ditch by Permit 11489, Certificate Number 4827.

EXHIBIT "D"**Truckee River Claim 179/257**

**Broadmoor Estates, Crest View Acres, Rusk Estates
and Portions of the S½ of the NE¼ of Section 26, T19N, R19E, MDB&M
Parcels are shown on NDWR Map TR-054**

Parcel #	Total Acres per Parcel	Total AF per Parcel	Transfer Acres per Parcel	Transfer AF per Parcel	Balance Acres per Parcel	Balance AF per Parcel
023-153-02	0.90	3.83	0.900	3.83	0.00	0.00
023-153-03	0.83	3.53	0.830	3.53	0.00	0.00
023-153-04	0.66	2.81	0.660	2.81	0.00	0.00
023-153-06	0.93	3.95	0.930	3.95	0.00	0.00
023-154-01	0.85	3.61	0.850	3.61	0.00	0.00
023-154-03	0.72	3.06	0.600	2.53	0.12	0.53
023-154-05	0.84	3.57	0.840	3.57	0.00	0.00
023-154-06	0.95	4.04	0.85	3.63	0.10	0.41
023-154-07	0.91	3.87	0.540	2.28	0.37	1.59
023-460-05	1.00	4.25	1.000	4.25	0.00	0.00
023-460-07	0.38	1.62	0.380	1.62	0.00	0.00
023-460-08	0.35	1.49	0.350	1.49	0.00	0.00
023-460-09	0.35	1.49	0.330	1.37	0.02	0.12
023-460-15	0.35	1.49	0.350	1.49	0.00	0.00
023-460-22	0.81	3.44	0.810	3.44	0.00	0.00
023-490-13	0.64	2.72	0.526	2.24	0.11	0.48
023-490-26	0.74	3.15	0.740	3.15	0.00	0.00
023-490-42	0.39	1.66	0.390	1.66	0.00	0.00
023-490-43	0.39	1.66	0.390	1.66	0.00	0.00
023-490-49	0.48	2.05	0.460	1.96	0.02	0.09
023-490-56	0.48	2.04	0.480	2.04	0.00	0.00
023-490-57	0.48	2.04	0.480	2.04	0.00	0.00
023-490-58	1.40	5.95	0.400	1.70	1.00	4.25
023-500-11	0.44	1.87	0.440	1.87	0.00	0.00
023-500-20	1.01	4.29	1.010	4.29	0.00	0.00
023-500-21	1.00	4.25	0.950	4.04	0.05	0.21
023-500-32	0.41	1.74	0.410	1.74	0.00	0.00
023-500-33	0.45	1.91	0.450	1.91	0.00	0.00
023-500-35	0.83	3.53	0.830	3.53	0.00	0.00